How to set up a PenMount USB touch panel


Applies to:

Platform	*OS version*	*WinPAC/ViewPAC utility version*
WP-8x3x/ WP-8x4x	*All versions*	*All versions*
WP-5000	*All versions*	*All versions*
VP-23W1/ VP-25W1	*N/A*	*N/A*
VP-4131	*N/A*	*N/A*

N/A: Not applicable to this platform and OS.

Tips & Warnings

⚠ *To use a touch panel and a keyboard at the same time on WP-8x4x, you need a USB hub to expand the single USB port of WP-8x4x into several.*



Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

To use a PenMount USB touch panel, perform the following steps:


Step 1: Locate the driver.

The **PenMount_USB_TOUCH_V20100526.CAB** is located at

1. **WinPAC file path:** \Micro_SD\External_device_driver\
2. CD: \napdos\wp-8x4x_ce50\Micro_SD\External_device_driver\
3. ftp://ftp.icpdas.com/pub/cd/winpac/napdos/wp-8x4x_ce50/Micro_SD/external_device_driver/

Step 2: Install the driver.


2.1. Double click the **PenMount_USB_TOUCH_V20100526.CAB** file, and then click "**OK**".



Step 3: Save and Reboot your WinPAC.

3.1. Start the Win PAC utility on the desktop and click the "**File**" → "**Save and Reboot**".


3.2. Click the "**Yes**" button and wait for reboot.



Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000


Step 4: Calibrate the touch panel.

4.1. After rebooting, click the Start → USB_TOUCH → PenMount → Calibration.




4.2. Click the “4 Points” button.

(Pressing “9 Points” or “16 Points” button could process a more accurate calibration)



LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000


4.3. Touch the "" icons on the monitor one by one to perform the calibration process.



Step 5: Save the settings.

5.1. Start the Win PAC utility and lick the "**File**"→"**Save and Reboot**" menu option.

5.2. Click the "**Yes**" button and wait for the device to reboot.



Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Revision History

Revision	Date	Description
1.0.1	2013/08/06	NEW: Added support information for WP-5000 series
1.0.0	2010/02/12	Initial release

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000