Bluetooth LE Gauge Master FAQ

Version 1.0

(for GAM-100)

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Table of Contents

Q01：I can’t find the GAM-100 with the APP. What should I do?..... 2

Q02：Do the GAM100 support other gauges?..... 2

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Q01：I can’t find the GAM-100 with the APP. What should I do?

A01： Here is the some SOP for self-examination.

1. You can check the remaining battery charge of the rechargeable battery. Please power off the GAM-100, and the power on the device. The LED will ON when the GAM-100 is power on. If the LED didn’t turn on after power on. It's mean that the battery is empty.
2. The APP will scan the Bluetooth device for 10 second. If the APP didn’t find the GAM-100. Please click the “搜尋”button with APP.



3. You need to turn off the Bluetooth on your mobile device, and then turn on the Bluetooth after 3 second. Please reopen the APP on your mobile device.

Q02：Do the GAM100 support other gauges?

A02： The GAM-100 only support Mitutoyo gague. Some of the Mitutoyo gauge has SPC interface. The GAM-100 is compatible with Mitutoyo SPC interface.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000