DNM-844 Series Quick Start

v1.1, Nov 2024

Packing List

In addition to this guide, the package includes the following items:



DNM-844



CT x 4



Cable x 4

Technical Support


service@icpdas.com

www.icpdas.com

Resources

How to search for drivers, manuals and spec information on ICP DAS website.

- For Mobile Web




- For Desktop Web




LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Mechanical dimension


50A, 200A, 500A CTΦ21mm




1000A, 2000A CTΦ40.5mm




5A, 10A, 20A CTΦ10mm





Pin Assignments


1	+15V	RED
2	-15V	BLACK
3	Output	GREEN
4	GND	WHITE



Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

OLD 200A CT
The latch on the up side


Secondary terminals
Terminal 1: +15V RED
Terminal 2: -15V BLACK
Terminal 3: Output GREEN
Terminal 4: GND WHITE
(Note: The false wiring may result in the damage of the sensor)



Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

NEW 200A CT
The latch on the down side

Secondary terminals
Terminal 1: +15V RED
Terminal 2: -15V BLACK
Terminal 3: Output GREEN
Terminal 4: GND WHITE
(Note: The false wiring may result in the damage of the sensor)



Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000