MQ-7200M Series Quick Start

v1.0, Oct. 2021

Packing List

In addition to this guide, the package includes the MQ-7200M module:



MQ-7200M

MQ-7200M User Manual:

https://www.icpdas.com/en/download/show.php?num=2675

Technical Support


service@icpdas.com

www.icpdas.com

Resources

How to search for drivers, manuals and spec information on ICP DAS website.

- For Mobile Web




- For Desktop Web



Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

1 Connecting to Network, PC and Power

The MQ-7200M is equipped with an RJ-45 Ethernet port for connection to an Ethernet hub/switch and PC.



Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

2 Installing the MiniOS7 Utility


Step 1：Get the MiniOS7 Utility

The MiniOS7 Utility can be obtained from web site:
http://www.icpdas.com/en/download/show.php?num=1053

Step 2：Follow the prompts to complete the installation



After the installation has been completed, a new shortcut for MiniOS7 Utility will be created on the desktop.



Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000


3 Assigning a New IP Address

The MQ-7200M comes with a default IP address; therefore, you must first assign a valid IP address for your network.

Item	Default
IP Address	192.168.255.1
Subnet Mask	255.255.0.0
Gateway	192.168.0.1

Step 1：Run the MiniOS7 Utility


Double-click the MiniOS7 Utility shortcut on your desktop.




Step 2：Find out your MQ-7200M on the network

After pressing F12 or clicking on the “Search” option on the “Connection” menu, the MiniOS7 starts to search all MiniOS7 modules on the network, and the search result will be listed on the pop up MiniOS7 Scan dialog box.

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000




Step 3：Highlight your module, and then click on the “IP setting” on the toolbar




Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Step 4：Assign a new IP address and then click on the “Set” button



Step 5：Choose “Yes” button



Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000


4 Logging in to the MQ-7200M

Step 1：Open a browser

Please use a standard internet browser to view the MQ-7200M webpage, such as Mozilla Firefox or Internet Explorer…etc.

Step 2：Enter the IP address for the MQ-7200M

Input the IP address for the MQ-7200M and then press “Enter”.




If you haven’t set a valid IP address for the MQ-7200M, please refer to “**3. Assigning a New IP Address**” to configure it.


Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Step 3：Fill out the User name and Password

Item	Default
User name	Admin
Password	Admin



Step 4：Welcome to MQ-7200M web site



Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000